



Digital Twins in the context of energy assessment of the built environment & Notable case studies of Digital Twins

Nikos Tsalikidis, CERTH

CERTH SmartWins Summer School: Day 1

04 July 2023

Thessaloniki


DT context in the built environment

**Most DT implementations in the built environment are focused on asset monitoring and managing operations.
Mainly in two ways:**


**As a replacement or in-conjunction w/
BIM**

**A conceptual conduit to enable remote
asset monitoring and to make more
efficient the operations and
maintenance of complex built assets**

We will focus on this



Energy-reduction goals & digitization of buildings



Building energy systems & BMS

Building energy systems are hierarchically structured, and equipment is decentralized around to serve each system in a building. In practice, the measurement of energy consumption usually takes place at an aggregated level



Typically, meters and submeters are installed to measure the energy delivered to zones in a building, where equipment is located




Building Management System (BMS) is deployed in the building, which accumulatively collects building-scale data from the mechanical and electrical systems



To integrate information from different sources, a common data representation is needed to realise the semantic interoperability for building geometries, topology and system hierarchies (e.g., the hierarchy for submetering, HVAC, lighting & sensor systems)

BIM technology & energy context



Advantages & challenges of energy-related DT

Advantages

- **Ability to model complex systems and interactions that are difficult to assess using traditional methods**
- **Includes modeling interactions between the building envelope, HVAC systems, and occupants**

Challenges

- **Availability/quality of energy-related data needed to create accurate models**
- **Building information is usually stored in different formats across the lifecycle → data integration a challenging task**

Notable DT case studies

1. University of Cambridge, West Cambridge site, Alan Reece Building


A 3-story building @ West Cambridge site (home of the Institute for Manufacturing (IfM))

- Includes teaching, study, office, research, laboratory spaces
- Stands over a over a 370 m² area


Sensor type	Locations	Function
Temperature	Lecture theatres, seminar rooms, meeting rooms and plantroom	Measures indoor room temperature
Humidity	Lecture theatres, seminar rooms, meeting rooms and plantroom	Measures relative air humidity
Motion detection	Lecture theatres, seminar rooms and meeting rooms	Detects motion (e.g. detects whether anyone is present in the room).
Light meter	Lecture theatres and seminar rooms	Tracks light level in the environment.
Open/ closed	Meeting rooms	Detects whether a door or a window is opened or closed
Carbon monoxide	Surrounding of the biomass boiler	Measures carbon monoxide gas level in the air
Vibration count	Surface of the milling machines, lathes, pumps and robotic arms	Measures the number of vibrations of a component above a predefined threshold.
AC current meter	Lathes and robotic arms	Measures amp hours, maximum RMS current, minimum RMS current and average RMS current used by the equipment.




IFC model: 3D view of BIM-based metered zones



Stakeholders in the West Cambridge Digital Twin



Schematic of the data acquisition from the assets.



Source: [https://doi.org/10.1061/\(ASCE\)ME.1943-5479.000076](https://doi.org/10.1061/(ASCE)ME.1943-5479.000076)

CERTH SmartWins Summer School, Thessaloniki, Greece

2. Technical University of Crete (TUC), Campus buildings


Technical University of Crete (TUC) developed a building management system of low-cost IoT sensors,

Installed in a number of campus buildings→to augment building energy management system (BEMS)

Student hall→3-story building, consisting of ensuite student rooms & communal kitchen per floor.

Each space contains:

- A/C
- Thermostat to control indoor climate
- Occupancy sensor



System architecture

A data linking methodology is proposed to combine static building design data from IFC and dynamic data using the Brick Schema

A Building Topology Ontology (BOT) is used as foundation in combination with other ontologies, including building elements (BEO), product catalogues (BPO), IoT sensor observations (SSN)


User can extract IFC data and transform them to RDF format, using modular ontologies (i.e. BOT, PROPS, BEO etc.)

In addition, systems equipment and sensor tags are represented using the Brick Schema

Time series data corresponding to the sensor tags are stored in a historical time-series database

Overall, static building data are stored in RDF format while dynamic data are stored in a SQL database and Brick Schema provides the connection between the two databases

Proposed IFC-Brick integration framework



Source: Mavrokapnidis, Dimitris & Katsigarakis, Kyriakos & Pauwels, Pieter & Petrova, Ekaterina & Korolija, Ivan & Rovas, Dimitrios. (2021). A linked-data paradigm for the integration of static and dynamic building data in digital twins

Project Partners



CERTH
CENTRE FOR
RESEARCH & TECHNOLOGY
HELLAS



POLITECNICO
MILANO 1863



Funded by
the European Union

This project has received funding from the European Union's Horizon research and innovation programme under grant agreement No 101078997

